

Galvanised Hoop Bollards Heavy Duty Steel



← Click and drag image to view 360° →



Product Features:

- Site perimeter security
- Impact barriers for pedestrian walkways and entrances
- Secure and permanent obstacle to prevent vehicle access
- Zone protection for machinery, fixtures and buildings
- Pedestrian and vehicle separation









Protect areas exposed to dangerous factory traffic and vehicle impacts

U Shaped Bollards are designed to protect the perimeters of areas exposed to dangerous factory traffic and vehicle impacts. The bollard hoops are suitable for both internal and external environments ensuring installations across various locations throughout the premises.

The bollards u-shaped hoop is rolled from a single piece of heavy wall pipe and are available in either 600 or 900mm wide models. Choose from three mounting options; fixed surface mount, fixed in-ground or removable in-ground. For removable models, there are two in-ground lockable sleeve options; core drilled (for existing concrete) or new concrete. Hot dip galvanised is the standard finish but they can be powder coated on request.

As this product is Made To Order (MTO) in our Geelong factory, we advise that you ask our customer service staff about lead time when ordering. Available in range of choices, steel hoop bollards provide necessary protection against heavy duty impact

and collisions to keep your employees safe. Applications this product will protect include car showroom perimeters, industrial environments, petrol stations, retail units and open urban spaces such as parks.

Part Numbers		
Code	Image	Product Name
CH9050BG-G		Centurion Hoop Bollard 90 x 500 Below Ground - Galvanised
CH9050SL-G		Centurion Hoop Bollard 90 x 500 Sleeve-lok - Galvanised
CH9050SM-G		Centurion Hoop Bollard 90 x 500 Surface Mounted - Galvanised
CH9081BG-G		Centurion Hoop Bollard 90 x 810 Below Ground - Galvanised
CH9081SL-G		Centurion Hoop Bollard 90 x 810 Sleeve-lok - Galvanised
CH9081SM-G		Centurion Hoop Bollard 90 x 810 Surface Mounted - Galvanised

Part No.	Post Diameter	Overall Width	Height above ground	Depth below ground	Wall thickness	Base plate diameter	Base plate thickness	Centreline radius	Kgs	Finish
CH9050SM-G	90	600	1100	—	5	225	6	250	31.4	HDG
CH9050BG-G	90	600	1100	300	5	—	—	250	28	HDG
CH9050SL-G	90	600	1100	225	5	—	—	250	29	HDG
CH9081SM-G	90	900	1100	—	5	225	6	405	29.7	HDG
CH9081BG-G	90	900	1100	300	5	—	—	405	33.2	HDG
CH9081SL-G	90	900	1100	225	5	—	—	405	31.2	HDG

Note: All dimensions in mm. Finish: Hot Dip Galvanised (HDG).

i We are currently compiling a list of additional services that might apply to this product.

Related Products:



Galvanised U-Bars Double Rail Steel Galvanised U-Bars Heavy Duty Steel

