

## Removable Bollards Surface Mount Tee-lok



### Surface mountable bollards for floors that cannot be core drilled with a unique T-handle locking device

Surface mount removable bollards are designed for applications where the floor cannot be core drilled or penetrated, such as suspended, prestressed slabs or clean areas such as food preparation or pharmaceutical processing. They are available in two different models, the **Cam-lok** and the **Tee-lok**. Structurally both models are identical but offer different locking systems depending on the level of security required.

Our surface mount **Tee-lok** does not employ high security locking. Instead, the Tee-lok uses our unique 'T' handle key to unlock and remove the bollard from the receiver shoe. Tee-lok is ideally suited to low or medium security applications, where the aim is to stop vehicles entering unauthorised areas or separating vehicles from pedestrians, especially around work places.

#### Product Features:



- Strong 90mm post with 5mm thick wall.
- Galvanised and powder coated.
- Heavy steel receiver shoe is also used as a storage unit for bollards.
- Requires only 4 off 12mm holes, 65mm deep.
- No core drilling or slab penetration.
- Two unique, low cost 'T' handle keys supplied per order with additional keys available for purchase.
- Fixings for receiver shoe are inaccessible when post is locked in place.
- Optional colours available on request.



Code	Image	Product Name
SMTL-G		Tee-lok Removable Bollard 90mm Surface Mounted - Galvanised
SMTL		Tee-lok Removable Bollard 90mm Surface Mounted - Galvanised and Powder Coated

## Receiver Shoes

Code	Image	Product Name
SMCLH-SS		Cam-lok/Tee-lok Receiver Shoe - 316 Stainless Steel
SMCLH-Z		Cam-lok/Tee-lok Receiver Shoe - Zinc Plated
SMCLH		Cam-lok/Tee-lok Receiver Shoe - Zinc Plated and Powder Coated Yellow

Additional T-handle key for Tee-Lok - [BRKEY-P](#) - is also available

Part No.	Bollard Diameter	Bollard height	Bollard wall thickness	Base plate diameter	Shoe height	Kgs	Finish
SMTL*	90	950	5	200	20	12	HDG+PC
SMTL-G*	90	950	5	200	20	12	HDG

Note: All dimensions in mm. Finish: Zinc Plated (ZP) only/and Powder Coated (PC). \*Each order of one or more bollards is supplied with 2x T-Handle keys.

Why don't you sell 165mm diameter removable bollards as a standard size?

How many ram-raid bollards do I need and what is the approximate cost?

What is a ram-raid bollard and where are they used?

What features should I look for in a good quality ram-raid bollard?

How do ram-raid bollards deter would be thieves?

What's the difference between SMTL and SMCL?

What's so special about a ram-raid bollard compared with a standard fixed bollard?

What would be suitable anti-theft device for a caravan?

We are currently compiling a list of additional services that might apply to this product.

## Related Products:



Retractable Bollards



Removable Bollards  
Surface Mount Cam-  
Lok



Removable Bollards In-  
ground Cam-Lok



Removable Bollards In-  
ground Sleeve-Lok



Shared Locking Heavy  
Duty Removable  
Bollard