

## 1300 55 33 20

### **Galvanised U-Bars Heavy Duty Steel**



# Modular design means these are adaptable to a wide range of uses

The heavy duty U-Bars are manufactured from heavy wall steel tube 90mm in diameter and hot dip galvanised. Powder coating in a colour of choice is optional. There are two styles, surface mount and below ground, with each style being available in three sizes for a total of six standard options. Surface mount models are fixed at 700mm above ground, while the height of below ground models can be regulated simply by embedding them more or less into their concrete footings.



#### Part Numbers

# CodeImageProduct NameUB150BG-GImageU-Bar Heavy Duty 1.5m Below Ground - GalvanisedUB150BGImageImageUB150BGImageU-Bar Heavy Duty 1.5m Below Ground - Galvanised and Powder Coated

#### **Product Features:**



- Heavy duty 5mm thick wall.
- Three standard lengths.
- Flexible modular design.
- All models are galvanised and powder coated or galvanised only.
- Surface mount and below ground models.
- Easy on site assembly with fixings supplied.

Code	Image	Product Name
UB150SM-G	$\bigcap$	U-Bar Heavy Duty 1.5m Surface Mounted - Galvanised
UB150SM	$\square$	U-Bar Heavy Duty 1.5m Surface Mounted - Galvanised and Powder Coated
UB100BG-G	$\bigcap$	U-Bar Heavy Duty 1m Below Ground - Galvanised
UB100BG		U-Bar Heavy Duty 1m Below Ground - Galvanised and Powder Coated
UB100SM-G		U-Bar Heavy Duty 1m Surface Mounted - Galvanised
UB100SM	$\mathbf{\bigcap}$	U-Bar Heavy Duty 1m Surface Mounted - Galvanised and Powder Coated
UB200BG-G	$\square$	U-Bar Heavy Duty 2m Below Ground - Galvanised
UB200BG		U-Bar Heavy Duty 2m Below Ground - Galvanised and Powder Coated
UB200SM-G		U-Bar Heavy Duty 2m Surface Mounted - Galvanised
UB200SM		U-Bar Heavy Duty 2m Surface Mounted - Galvanised and Powder Coated

Part No.	Post Diameter	Overall Width	Height above ground	Depth below ground	Wall thickness	Base plate diameter	Base plate thickness	Kgs	Finish
UB100SM	90	1000	700	-	5	225	6	31	HDG+PC
UB100BG	90	1000	700	500	5	_	_	31	HDG+PC
UB100SM-G	90	1000	700	_	5	225	6	31	HDG
UB100BG-G	90	1000	700	500	5	_	_	31	HDG
UB150SM	90	1500	700	_	5	225	6	36	HDG+PC
UB150BG	90	1500	700	500	5	_	_	36	HDG+PC
UB150SM-G	90	1500	700	_	5	225	6	36	HDG
UB150BG-G	90	1500	700	500	5	_	_	36	HDG

Part No.	Post Diameter	Overall Width	Height above ground	Depth below ground	Wall thickness	Base plate diameter	Base plate thickness	Kgs	Finish
UB200SM	90	2000	700	_	5	225	6	41	HDG+PC
UB200BG	90	2000	700	500	5	_	_	41	HDG+PC
UB200SM	90	2000	700	_	5	225	6	41	HDG
UB200BG-G	90	2000	700	500	5	_	_	41	HDG

**9** We are currently compiling a list of additional services that might apply to this product.

#### **Related Products:**







Galvanised U-Bars Double Rail Steel

Removable Safety Rail Galvanised Hoop <u>System</u>

Bollards Heavy Duty <u>Steel</u>