

W-Beam Rails



- Designed for asset protection, and the protection of pedestrians from slow moving vehicles in and around industrial and commercial complexes and car parks.
- With a choice of rail lengths, post options and accessories W-Beam Guard Fence can be easily configured for most non-highway applications.
- Hot dip galvanised for maximum long term protection.
- Guard rails interchangeable with competitors W-Beam systems.

Our W-Beam Guardrail is designed for asset protection, and the protection of pedestrians from slow moving vehicles in and around industrial and commercial complexes and car parks. Rails come in straight and curved styles which are available in a range of lengths and two standard finishes – hot dip galvanised only or hot dip galvanised with powder coated Yellow.



Part Numbers

Straight Rails

Code	Image	Product Name
WBRB	Š	W-Beam Rail End Boot - Yellow LLDPE
WBR500-2G		W-Beam Rail for .5m Centres - Galvanised
WBR500-2Y		W-Beam Rail for .5m Centres - Galvanised and Powder Coated Yellow
WBR1500-2G		W-Beam Rail for 1.5m Centres - Galvanised

Code	Image	Product Name	
WBR1500-2Y		W-Beam Rail for 1.5m Centres - Galvanised and Powder Coated Yellow	æ
WBR1000-2G		W-Beam Rail for 1m Centres - Galvanised	æ
WBR1000-2Y		W-Beam Rail for 1m Centres - Galvanised and Powder Coated Yellow	
WBR2500-2G		W-Beam Rail for 2.5m Centres - Galvanised	#
WBR2500-2Y		W-Beam Rail for 2.5m Centres - Galvanised and Powder Coated Yellow	4
WBR2000-2G		W-Beam Rail for 2m Centres - Galvanised	4
WBR2000-2Y		W-Beam Rail for 2m Centres - Galvanised and Powder Coated Yellow	4
WBR3500-3G		W-Beam Rail for 3.5m Centres - Galvanised	
WBR3500-3Y		W-Beam Rail for 3.5m Centres - Galvanised and Powder Coated Yellow	
WBR3000-3G		W-Beam Rail for 3m Centres - Galvanised	4
WBR3000-3Y		W-Beam Rail for 3m Centres - Galvanised and Powder Coated Yellow	
WBR4000-3G		W-Beam Rail for 4m Centres - Galvanised	
WBR4000-3Y		W-Beam Rail for 4m Centres - Galvanised and Powder Coated Yellow	
KIT10	69 69 69	W-Beam Splice Fixings - 8 x M16 x 32 Galvanised Nut and Bolt	
KIT10-Y	9. ⁹ . 9. 9. 9.	W-Beam Splice Fixings - 8 x M16 x 32 Galvanised Nut and Bolt - Yellow	
Curved Rails			
Code	Image	Product Name	
WBR45EX550-G		W-Beam Rail 45 Degree External Curve Radius 550cm - Galvanised	.

WBR45IN550-G

Code	Image	Product Name		
WBR90EX275-G		W-Beam Rail 90 Degree External Curve Radius 275cm - Galvanised		
WBR90EX75-G	J	W-Beam Rail 90 Degree External Curve Radius 75cm - Galvanised		
WBR90EX75-Y	2	W-Beam Rail 90 Degree External Curve Radius 75cm - Galvanised and Powder Coated Yellow		
WBR90IN275-G	N.	W-Beam Rail 90 Degree Internal Curve Radius 275cm - Galvanised		
Cotton On				
Tatura Milk Industries	Ltd.			
PETstock Retail Pty Ltd				
<u>GPC Asia Pacific</u> ☐ <u>Can I use Barrier's</u>	W beam on a	a public road?		
Is the powder coated W-Beam range suitable for external use?				
• We are currently compiling a list of additional services that might apply to this product.				

Related Products:







W-Beam Ends & Connectors

W-Beam Posts

<u>Rib-Rail Modular Guard</u> <u>Rail</u>